

### WEEKLY NEW BRUNSWICK INFLUENZA REPORT

Reporting period: May 5 to May 11 2013 (week 19)

### Summary

New Brunswick: low influenza activity with 2% increase in positive detections for week 19

#### **New Brunswick:**

- There have been 15 positive influenza detections during week 19 (2% increase from previous week), mainly due to influenza B: 1 influenza A (unsubtyped) and 14 influenza B.
- The ILI consultation rate was low and was within the expected range for this time of year.
- No new ILI or influenza outbreaks were reported.

#### Canada:

- Influenza activity in Canada continued its slow decline with the percentage of laboratory tests positive for influenza at 8.6%. Influenza B was the predominant strain, but detections continued to decrease. Fewer regions reported localized activity compared to the previous week.
- 229 laboratory detections of influenza were reported, proportion of positive tests was 8.6%.
- The ILI consultation rate decreased and was above the expected level for this time of year. 3 new influenza/ILI outbreaks were reported: 1 in a long-term care facility and 2 in other settings.

#### International:

- Human infection with Avian Influenza: As of May 17 2013, the WHO reported a total of 131 laboratory-confirmed cases of human infection with an avian influenza A (H7N9) virus in China including 36 deaths.
   Disease onset was between 19 February and 3 May 2013. There is no evidence of sustained human-to-human transmission. Contacts of confirmed cases are being closely monitored. Investigations into possible sources of infection and reservoirs of the virus are ongoing.
- Novel Coronavirus: Since April 2012, 41 laboratory-confirmed cases have been reported from Saudi Arabia (31), Qatar (2), Jordan (2), United Kingdom (3), United Arab Emirates (1) and France (2). Among the 41 cases, 20 were fatal. Onset of illness was between April 2012 and May 2013. The latest outbreak in Saudi Arabia (22 cases) was linked to a Health Care Facility.

# 1) Influenza Laboratory Data<sup>1</sup>

- A 2% increase in percent positive laboratory results compared to previous week.
- 15 influenza detections were reported during that period.
- Since the beginning of the season, 1472 positive influenza detections have been reported, 36 influenza A (H1N1)pdm09, 450 influenza A (H3) viruses, 901 influenza A (unsubtyped) and 85 influenza B.

Surveillance specimens are submitted by recruited New Brunswick Sentinel Practitioner Influenza Network (NB SPIN) practitioners, which are comprised of 8 sites in Emergency Rooms, 5 sites in Family Practice, 3 sites in First Nations communities, 1 site in a Nursing Home, 3 sites in Universities and 8 sites in Community Health Centers. Diagnostic specimens are submitted by physicians in the community/hospital setting. Influenza laboratory data is comprised of results from surveillance and diagnostic specimens. All laboratory specimens are tested using a real-time PCR assay, which is a rapid detection method designed for detection of all known variants of influenza A and B. All laboratory-confirmed cases are reported for the week when laboratory confirmation was received.

<u>Graph 1</u>: Number and percent of positive influenza specimens in New Brunswick, by week, up to May 11, 2013 (data source: G. Dumont lab results)




Table 1: Positive influenza test results by Health Region in New Brunswick up to May 11, 2013 (data source: G. Dumont lab results)


Region	Reporting period:  May/05/2012-May/11/2013						Cumulative: (2012/2013 season)  Aug./26/2012 –May/11/2013					Cumulative: (2011/2012 season) Aug./28/2011 – Aug./25/2012					
		А				В		A B					A B				
	Activity level <sup>2</sup>	A(H1)	A(H3)	(H1N1) pdm09	unsub typed		Total	A(H1)	A(H3)	(H1N1) pdm09	unsub typed		Total	Non- (H1N1) pdm09	(H1N1) pdm09		Total
Region 1	Sporadic	0	0	0	1	3	4	0	156	13	370	17	556	24	17	206	247
Region 2	No activity	0	0	0	0	0	0	0	52	3	159	8	222	1	2	18	21
Region 3	No activity	0	0	0	0	0	0	0	27	9	58	1	95	1	0	3	4
Region 4	Sporadic	0	0	0	0	1	1	0	34	5	134	3	176	2	9	2	13
Region 5	Sporadic	0	0	0	0	2	2	0	11	1	9	6	27	0	2	4	6
Region 6	Sporadic	0	0	0	0	4	4	0	137	3	115	39	294	1	6	16	23
Region 7	Sporadic	0	0	0	0	4	4	0	33	2	56	11	102	1	1	12	14
Total NB		0	0	0	1	14	15	0	450	36	901	85	1472	30	37	261	328

<sup>2</sup> Influenza activity level definition is available on the PHAC FluWatch website: <a href="http://www.phac-aspc.gc.ca/fluwatch/12-13/def12-13-eng.php">http://www.phac-aspc.gc.ca/fluwatch/12-13/def12-13-eng.php</a>

## 2) ILI Consultation Rates<sup>3</sup>

- During week 19, the ILI consultation rate was 11.4 consultations per 1,000 patient visits, and was within the expected levels for this time of year.
- During week 19, the sentinel response rate was 41% for both the FluWatch sentinel physicians and the NB SPIN practitioners.

<u>Graph 2</u>: ILI Consultation Rates in New Brunswick, by report week, season 2012/13 compared to previous seasons\*



<sup>\*</sup> The mean rate was based on data from the 1996/97 to 2011/2012 seasons and excludes the Pandemic season (2009-2010).

<sup>&</sup>lt;sup>3</sup> A total of 38 practitioner sites (20 FluWatch sentinel physicians and 18 NB SPIN sites) are recruited this season to report the number of ILI patients and total patient consultations one day during a reporting week.

## 3) ILI and Laboratory-Confirmed Outbreak Data


<u>Table 2:</u> ILI activity/outbreaks in New Brunswick nursing homes and schools for the reporting week, current and previous seasons.

	Ma	Reporting period: y/05/2012–May/11/2	Cumulative # of outbreaks	Cumulative # of outbreaks		
	Lab-confirmed outbreaks in Nursing Homes*	Schools reporting ILI outbreaks**	Lab-confirmed outbreaks in Other Settings*	season 2012-2013	season 2011-2012	
Region 1	0 out of 13	0 out of 74	0	14	4	
Region 2	0 out of 15	0 out of 81	0	38	6	
Region 3	0 out of 14	0 out of 95	0	20	8	
Region 4	0 out of 6	0 out of 22	0	2	2	
Region 5	0 out of 2	0 out of 18	0	6	7	
Region 6	0 out of 9	0 out of 35	0	23	2	
Region 7	0 out of 4	0 out of 27	0	10	2	
Total NB	0 out of 63	0 out of 352	0	113	31	

<sup>\*</sup>Two or more ILI cases within a seven day period, including at least one laboratory-confirmed case of influenza. Outbreaks are reported in the week when laboratory confirmation is received.

<sup>\*\*</sup>Schools reporting greater than 10% absenteeism (or absenteeism that is higher (e.g. >5-10%) than expected level as determined by school or Public Health Authority) which is likely due to ILI.

Graph 3: Number of Influenza Outbreaks in Nursing Homes<sup>1</sup> and ILI Outbreaks in Schools<sup>2</sup> reported to Public Health in New Brunswick, by report week, season 2012/13.



<sup>&</sup>lt;sup>1</sup> The National FluWatch definition of an outbreak in a nursing home is stated as two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case.

The National FluWatch definition of an ILI outbreak in a school is stated as absenteeism greater than 10% (or absenteeism that

National Flu Watch Program - Additional information on influenza activity in Canada and around the world is available on the Public Health Agency of Canada's website at: www.phac-aspc.gc.ca/fluwatch/index.html

#### Other Links:

World-

http://www.who.int/influenza/surveillance monitoring/updates/latest update GIP surveillance/en/index.html Europe: http://www.euroflu.org/cgi-files/bulletin v2.cgi and

http://www.ecdc.europa.eu/en/healthtopics/seasonal influenza/epidemiological data/Pages/Weekly Influenza Surveillance Overview.aspx

PAHO:http://new.paho.org/hq/index.php?option=com content&task=blogcategory&id=805&Itemid=569] Australia: http://www.health.gov.au/internet/main/publishing.nsf/Content/cda-surveil-ozflu-flucurr.htm]

New Zealand: [http://www.surv.esr.cri.nz/virology/influenza\_weekly\_update.php

Argentina: : http://www.msal.gov.ar/ South Africa: http://www.nicd.ac.za/ US: www.cdc.gov/flu/weekly/

is higher (e.g.>5-10%) than expected level as determined by school or Public Health Authority) which is likely due to ILI.