

## WEEKLY NEW BRUNSWICK INFLUENZA REPORT

Reporting period: May 24 to June 6 2015 (weeks 21 & 22)

### Summary:

#### In New Brunswick, low influenza activity in weeks 21 & 22 with one influenza B detection.

##### New Brunswick:

- There has been 1 positive influenza detection during weeks 21 & 22, an influenza B virus.
- The ILI consultation rate was 2.9 and 0.0 consultations per 1,000 patients visits, respectively, for weeks 21 & 22 and was within the expected level for this time of year.
- No new influenza or ILI outbreaks were reported during weeks 21 & 22.

##### Canada:

- Influenza B continues to be the most common influenza virus circulating in Canada; however, influenza B is past its peak and remains within expected levels for this time of year. Overall influenza activity in Canada continues to decrease as we approach the end of the influenza season. Positive laboratory detections continued to decline in weeks 21 & 22.
- Based on laboratory detections, influenza B is having a greater impact on adults less than 65 years of age, compared to influenza A (H3N2), which predominated earlier in the season.
- An outbreak of MERS-CoV in the Republic of Korea has resulted in 126 cases and 11 deaths. Contact tracing is ongoing. The risk to Canadians remains low.
- 53 laboratory detections of influenza were reported for week 22 and the percentage of laboratory tests positive for influenza was 3.6%.
- The national ILI consultation rate was 12.8 consultations per 1,000 patients' visits for week 22, which is above the expected levels for week 22.
- In week 22, 1 new influenza outbreak was reported in a long-term care facility. There has been a higher number of reported influenza outbreaks to date this season compared to the same period in previous seasons.
- Antigenic characterization: NML has antigenically characterized 208 H3N2 viruses, 202 of which showed suboptimal match to the vaccine strain, 21 A (H1N1)pdm09 that were a match to the vaccine strain and 821 B viruses, 747 of which were a match to the vaccine strain.

##### International:

- Globally, influenza activity has decreased from its peak of influenza activity in early 2015 to low levels in the Northern Hemisphere.
- Human infection with Avian Influenza: As of June 12 2015, a total of 657 laboratory-confirmed cases of human infection with an avian influenza A (H7N9) virus were reported in China (as well as in Taiwan, Hong Kong and Malaysia) including 227 deaths. The majority of cases have presented with severe acute illness, rapidly progressing to severe pneumonia. Most human cases have reported a history of exposure to poultry or live bird markets. There is currently no evidence of sustained human-to-human transmission of H7N9.
- Other Respiratory Viruses:
  - MERS-CoV: From September 2012 to June 12 2015, 1,289 laboratory-confirmed cases of MERS-CoV have been reported from 25 countries. All cases have either occurred in the Middle East or have a direct link to a primary case infected in the Middle East. Among the 1,289 cases, 455 were fatal. Investigations to identify the source of infection and routes of exposure are still ongoing. An outbreak is ongoing in the Republic of Korea originated from an individual who travelled to the Middle East. Secondary cases have been linked to healthcare settings. This outbreak represents the largest nosocomial outbreak outside the Middle East. Risk to Canadians remains low.


**Note: While influenza surveillance continues to be monitored weekly at provincial and national levels, the abbreviated web version will be distributed biweekly during the summer season.**

#### 1) Influenza Laboratory Data<sup>1</sup>

- Low influenza activity in weeks 21 & 22 with one influenza B detection.
- 1 influenza detection was reported during the reporting period, an influenza B virus.
- Since the beginning of the season, 1407 positive influenza detections were reported, 283 were A (H3), 654 were A (unsubtyped) and 470 were B viruses.

<sup>1</sup> Surveillance specimens are submitted by recruited New Brunswick Sentinel Practitioner Influenza Network (NB SPIN) practitioners, which are comprised of 8 sites in Emergency Rooms, 2 sites in Family Practice, 2 sites in First Nations communities, 1 site in a Nursing Home, 2 sites in Universities and 8 sites in Community Health Centers. Diagnostic specimens are submitted by physicians in the community/hospital setting. Influenza laboratory data is comprised of results from surveillance and diagnostic specimens. All laboratory specimens are tested using a real-time PCR assay, which is a rapid detection method designed for detection of all known variants of influenza A and B. All laboratory-confirmed cases are reported for the week when laboratory confirmation was received.

Graph 1: Number and percent of positive influenza specimens in New Brunswick by week, up to June 6 2015 (data source: G. Dumont Lab results)



Note: Most of the Influenza A untyped specimens are of the predominant strain.

**Table 1:** Positive influenza test results by Health Region, in New Brunswick for reporting week, cumulative current and previous seasons.  
(data source: G. Dumont lab results up to June 6 2015)


Region	Reporting period: May/24/2015–June/06/2015						Cumulative: (2014/2015 season) Aug./24/2014 –June/06/2015					Cumulative: (2013/2014 season) Aug./25/2013 – Aug./23/2014				
	Activity level <sup>2</sup>	A				B	A				B	A				B
		A(H3)	(H1N1) pdm09	Unsubtyped / Other	A Total	Total	A(H3)	(H1N1) pdm09	Unsubtyped / Other	A Total	Total	(H3)	(H1N1) pdm09	Unsubtyped / Other	A Total	Total
Region 1	No activity	0	0	0	0	0	88	0	353	441	280	2	205	442	649	39
Region 2	No activity	0	0	0	0	0	19	0	69	88	58	0	86	219	305	2
Region 3	Sporadic	0	0	0	0	1	19	0	69	88	55	0	41	80	121	4
Region 4	No activity	0	0	0	0	0	56	0	31	87	27	0	52	61	113	49
Region 5	No activity	0	0	0	0	0	8	0	14	22	2	0	10	23	33	6
Region 6	No activity	0	0	0	0	0	81	0	95	176	29	0	42	49	91	25
Region 7	No activity	0	0	0	0	0	12	0	23	35	19	0	4	11	15	3
<b>Total NB</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>283</b>	<b>0</b>	<b>654</b>	<b>937</b>	<b>470</b>	<b>2</b>	<b>440</b>	<b>885</b>	<b>1327</b>	<b>128</b>

<sup>2</sup> Influenza activity level definition is available on the PHAC FluWatch website: <http://www.phac-aspc.gc.ca/fluwatch/14-15/def14-15-eng.php>

2) ILI Consultation Rates<sup>3</sup>

- During weeks 21 & 22, the ILI consultation rate was 2.9 and 0.0 consultations per 1,000 patient visits, respectively, for weeks 21 & 22, which was within the expected levels for this time of year.
- During weeks 21 & 22, the sentinel response rate was 33% and 23% respectively, for weeks 21 & 22, for both the FluWatch sentinel physicians and the NB SPIN practitioners.

Graph 2: ILI Consultation Rates in New Brunswick, by report week, season 2014/15 compared to previous seasons\*



\* The mean rate was based on data from the 1996/97 to 2013/2014 seasons and excludes the Pandemic season (2009-2010).

3) ILI and Laboratory-Confirmed Outbreak Data

Table 2: ILI activity/outbreaks in New Brunswick nursing homes and schools for the reporting week, current and previous seasons.


	Reporting period: May/24/2015–June/06/2015			Cumulative # of outbreaks season 2014-2015	Cumulative # of outbreaks season 2013-2014
	Lab-confirmed outbreaks in Nursing homes	ILI school outbreaks	Lab-confirmed outbreaks in Other settings		
Region 1	0 out of 13	0 out of 74	0	14	3
Region 2	0 out of 15	0 out of 81	0	15	2
Region 3	0 out of 14	0 out of 95	0	12	4
Region 4	0 out of 6	0 out of 22	0	6	1
Region 5	0 out of 2	0 out of 18	0	4	0
Region 6	0 out of 9	0 out of 35	0	5	3
Region 7	0 out of 4	0 out of 27	0	8	2
<b>Total NB</b>	<b>0 out of 63</b>	<b>0 out of 352</b>	<b>0</b>	<b>64</b>	<b>15</b>

\*Two or more ILI cases within a seven day period, including at least one laboratory-confirmed case of influenza. Outbreaks are reported in the week when laboratory confirmation is received.

\*\*Schools reporting greater than 10% absenteeism which is likely due to ILI.


<sup>3</sup> A total of 31 practitioner sites (18 FluWatch sentinel physicians and 13 NB SPIN sites) are recruited this season to report the number of ILI patients and total patient consultations one day during a reporting week.

**Graph 3:** Number of Influenza Outbreaks (nursing homes, hospitals, other)<sup>4</sup> and ILI Outbreaks (schools)<sup>5</sup> reported to Public Health in New Brunswick, by report week, season 2014/15.



4) Influenza associated Hospitalization<sup>4</sup> and Death<sup>5</sup> Surveillance<sup>6</sup>

**Graph 4:** Influenza associated Hospitalizations and ICU admissions in New Brunswick, by week of hospitalization for current and past season.\*



\*Those who had been hospitalized 15 days or more prior to laboratory confirmation date were excluded from the graph

\*\* Twenty-six deaths have been reported so far in season 2014-2015.

<sup>4</sup> Hospitalizations (including ICU admissions) are influenza associated; they may or may not be due to influenza.

<sup>5</sup> Deaths are influenza associated; influenza may not be the direct cause of death.

<sup>6</sup> In early January 2014, the Office of the Chief Medical Officer of Health implemented a new provincial surveillance system in collaboration with the Regional Health Authorities to monitor influenza-associated hospitalizations, intensive care unit admissions and deaths.

National Flu Watch Program - Additional information on influenza activity in Canada and around the world is available on the Public Health Agency of Canada's website at: <http://www.phac-aspc.gc.ca/fluwatch/>

Other Links:

World-[http://www.who.int/influenza/surveillance\\_monitoring/updates/latest\\_update\\_GIP\\_surveillance/en/index.html](http://www.who.int/influenza/surveillance_monitoring/updates/latest_update_GIP_surveillance/en/index.html)

Europe: [http://www.ecdc.europa.eu/en/healthtopics/seasonal\\_influenza/epidemiological\\_data/Pages/Weekly\\_Influenza\\_Surveillance\\_Overview.aspx](http://www.ecdc.europa.eu/en/healthtopics/seasonal_influenza/epidemiological_data/Pages/Weekly_Influenza_Surveillance_Overview.aspx)

PAHO:[http://new.paho.org/hq/index.php?option=com\\_content&task=blogcategory&id=805&Itemid=569](http://new.paho.org/hq/index.php?option=com_content&task=blogcategory&id=805&Itemid=569)

Australia: <http://www.health.gov.au/internet/main/publishing.nsf/Content/cda-surveil-ozflu-flucurr.htm>

New Zealand: [http://www.surv.esr.cri.nz/virology/influenza\\_weekly\\_update.php](http://www.surv.esr.cri.nz/virology/influenza_weekly_update.php)

Argentina: : <http://www.msal.gov.ar/>

South Africa: <http://www.nicd.ac.za/>

US: [www.cdc.gov/flu/weekly/](http://www.cdc.gov/flu/weekly/)

Prepared by the Communicable Disease Control Unit  
Office of the Chief Medical Officer of Health, Tel: (506) 444-3044