

# WEEKLY NEW BRUNSWICK INFLUENZA REPORT

Reporting period: April 30 to May 6 2017 (week 18)

#### Summary:

### In New Brunswick, influenza activity continued to decrease in week 18

#### New Brunswick:

- There have been 15 positive influenza detections in week 18. To date this season, 1150 influenza detections have been reported, 187 influenza A (H3), 842 influenza A (unsubtyped), 1 influenza A (H1N1)pdm09 and 120 influenza B.
- There have been 5 influenza associated hospitalizations during week 18. So far this season, 312 influenza associated hospitalizations were
  reported with 13 deaths.
- The ILI consultation rate was 6.3 consultations per 1,000 patients visits, and was within the expected levels for this time of year.
- No new influenza or ILI outbreaks were reported in week 18.

#### Canada:

- Overall, influenza activity continues to decline slowly in Canada.
- The provinces of Ontario and Québec accounted for the majority (60%) of all influenza laboratory detections for week 18.
- Influenza B accounted for the majority of influenza activity in Canada with 70% or more of influenza laboratory detections and outbreaks due to influenza B.
- This increase in Influenza B activity is expected as influenza B often appears later in the flu season.
- The majority of laboratory detections, hospitalizations and deaths have been among adults aged 65+ years.

#### International:


Seasonal influenza:

- Influenza activity in the temperate zone of the northern hemisphere continued to decrease. In the temperate zone of the southern hemisphere, influenza activity reached seasonal thresholds in some countries, but remained low in general. Worldwide, influenza B viruses were predominant. Emerging Respiratory Viruses:
  - MERS CoV:
    - o WHO: <u>http://www.who.int/csr/disease/coronavirus\_infections/en/</u>
    - o CDC: <u>http://www.cdc.gov/coronavirus/mers/</u>
  - Avian Influenza:
    - o WHO: www.who.int/csr/disease/avian\_influenza/en/index.html

1) Influenza Laboratory Data<sup>1</sup>

- Influenza activity continued to decrease in week 18.
- Fifteen influenza detections were reported during week 18.
- Since the beginning of the season, 1150 influenza detections were reported, 187 influenza A (H3), 842 influenza A (unsubtyped), 1 influenza A (H1N1)pdm09 and 120 influenza B.

<sup>&</sup>lt;sup>1</sup> Surveillance specimens are submitted by recruited New Brunswick Sentinel Practitioner Influenza Network (NB SPIN) practitioners, which are comprised of sites in Emergency Rooms, in Family Practice, in First Nations communities, in Nursing Home, in Universities and in Community Health Centers. Diagnostic specimens are submitted by physicians in the community/hospital setting. Influenza laboratory data is comprised of results from surveillance and diagnostic specimens. All laboratory specimens are tested using a real-time PCR assay, which is a rapid detection method designed for detection of all known variants of influenza A and B. All laboratory-confirmed cases are reported for the week when laboratory confirmation was received.



<u>Graph 1</u>: Number and percent of positive influenza specimens in New Brunswick by week, up to May 6 2017 (data source: G. Dumont Lab results)

<u>Table 1</u>: Positive influenza test results by Health Region, in New Brunswick for reporting week, cumulative current and previous seasons. (data source: G. Dumont lab results up to May 6 2017)


Zone	Reporting period: Apr./30/2017–May/06/2017					Cumulative: (2016/2017 season) Aug./28/2016 –May/06/2017				Cumulative: (2015/2016 season) Aug./30/2015 – Aug./27/2016						
															Activity level <sup>2</sup>	A B
	A(H3)	(H1N1) pdm09	Unsubtyped / Other	A Total	Total	A(H3)	(H1N1) pdm09	Unsubtyped / Other	A Total	Total	(H3)	(H1N1) pdm09	Unsubtyped / Other	A Total		Total
	Zone 1	Sporadic activity	0	0	2	2	5	74	0	501	575	65	3	40	576	619
Zone 2	No activity	0	0	0	0	0	21	1	77	99	6	0	9	131	140	7
Zone 3	Sporadic activity	1	0	0	1	2	25	0	115	140	23	0	9	57	66	13
Zone 4	No activity	0	0	0	0	0	18	0	32	50	5	0	11	86	97	8
Zone 5	No activity	0	0	0	0	0	2	0	3	5	5	0	4	9	13	3
Zone 6	Sporadic activity	1	0	0	1	2	27	0	62	89	11	3	18	79	100	5
Zone 7	Sporadic activity	1	0	1	2	0	20	0	52	72	5	0	6	22	28	8
Total NB		3	0	3	6	9	187	1	842	1030	120	6	97	960	1063	157

<sup>&</sup>lt;sup>2</sup> Influenza activity level definition is available on the PHAC FluWatch website: <u>http://healthycanadians.gc.ca/diseases-conditions-maladies-affections/disease-maladie/flu-grippe/surveillance/season-definitions-saison-eng.php</u>

### 2) ILI Consultation Rates<sup>3</sup>

- During week 18, the ILI consultation rate was 6.3 consultations per 1,000 patients visits, and was within the expected levels for this time of year.
- During week 18, the sentinel response rate was 37% for both the FluWatch sentinel physicians and the NB SPIN practitioners.

Graph 2: ILI Consultation Rates in New Brunswick, by report week, season 2016/17 compared to previous seasons\*



\* The mean rate was based on data from the 1996/97 to 2015/2016 seasons and excludes the Pandemic season (2009/10).

## 3) ILI and Laboratory-Confirmed Outbreak Data


<u>Table 2</u>: ILI activity/outbreaks in New Brunswick nursing homes and schools for the reporting week, current and previous seasons.


	April	Reporting period: /30/2017–May/06/2017	Cumulative # of outbreaks	Cumulative # of outbreaks		
	Lab-confirmed outbreaks in Nursing homes <sup>4</sup>	ILI school outbreaks <sup>5</sup>	Lab-confirmed outbreaks in Other settings⁴	season 2016-2017	season 2015-2016	
Zone 1	0 out of 13	0 out of 74	0	2	6	
Zone 2	0 out of 16	0 out of 81	0	5	4	
Zone 3	0 out of 14	0 out of 95	0	14	1	
Zone 4	0 out of 6	0 out of 22	0	0	0	
Zone 5	0 out of 2	0 out of 18	0	1	0	
Zone 6	0 out of 9	0 out of 35	0	0	3	
Zone 7	0 out of 4	0 out of 27	0	2	5	
Total NB	0 out of 64	0 out of 352	0	24	19	

<sup>&</sup>lt;sup>3</sup> A total of 28 practitioner sites (16 FluWatch sentinel physicians and 12 NB SPIN sites) are recruited this season to report the number of ILI patients and total patient consultations one day during a reporting week.


<sup>&</sup>lt;sup>4</sup> Two or more ILI cases within a seven day period, including at least one laboratory-confirmed case of influenza. Outbreaks are reported in the week when laboratory confirmation is received.

<sup>&</sup>lt;sup>5</sup> Schools reporting greater than 10% absenteeism which is likely due to ILI.





<u>Graph 4</u>: Influenza associated Hospitalizations and ICU admissions in New Brunswick, by week of hospitalization for current and past season.\*



\*Those who had been hospitalized 15 days or more prior to laboratory confirmation date were excluded from the graph \*\* Thirteen deaths have been reported so far in season 2016-2017.

<sup>&</sup>lt;sup>6</sup> Hospitalizations (including ICU admissions) are influenza associated; they may or may not be due to influenza.

<sup>&</sup>lt;sup>7</sup> Deaths are influenza associated; influenza may not be the direct cause of death.

<sup>&</sup>lt;sup>8</sup> In early January 2014, the Office of the Chief Medical Officer of Health implemented a new provincial surveillance system in collaboration with the Regional Health Authorities to monitor influenza-associated hospitalizations, intensive care unit admissions and deaths.

<u>National Flu Watch Program</u> - Additional information on influenza activity in Canada and around the world is available on the Public Health Agency of Canada's website at: <u>http://www.phac-aspc.gc.ca/fluwatch/</u>

Other Links:

 World-http://www.who.int/influenza/surveillance\_monitoring/updates/latest\_update\_GIP\_surveillance/en/index.html

 Europe:
 http://www.ecdc.europa.eu/en/healthtopics/seasonal\_influenza/epidemiological\_data/Pages/Weekly\_Influenza\_Surveillance\_Overview.aspx

 PAHO:
 http://new.paho.org/hq/index.php?option=com\_content&task=blogcategory&id=805&Itemid=569]

 Australia:
 http://www.health.gov.au/internet/main/publishing.nsf/Content/cda-surveil-ozflu-flucurr.htm]

 New Zealand:
 [http://www.surv.esr.cri.nz/virology/influenza\_weekly\_update.php

 Argentina:
 http://www.nisdl.gov.ar/

 South Africa:
 http://www.nicd.ac.za/

 US:
 www.cdc.gov/flu/weekly/

Prepared by the Communicable Disease Control Unit Office of the Chief Medical Officer of Health, Tel: (506) 444-3044